

Insulation Certificate

WEATHER BLANKET CELLULOSE INSULATION

Date _____
To _____
Address _____
City _____ State _____

Ceilings _____ Sq. Ft. _____ BAGS INSTALLED
Walls _____ Sq. Ft. _____ BAGS INSTALLED
Other _____ Sq. Ft. _____ BAGS INSTALLED

That Weather Blanket insulation has been manufactured to meet CPSC Interim Safety Standard (16 CFR Part 1209) characteristics, Type 1, in accordance with test methods and procedures of ASTM - C-739.

That each bag of Weather Blanket Insulation is Underwriters Laboratories classified and an Underwriters Laboratories classification mark as shown below appears on every bag.

R-8617

**UNDERWRITER'S LABORATORIES INC. ®
CLASSIFIED
LOOSE FILL MATERIAL**

Classified in accordance with the following UL 723, ASTM C-739 characteristics.

Flammability Characteristics

Critical Radiant Flux Greater than or equal to 0.12 w/cm²
Smoldering Combustion Less than or equal to 15.0 percent
FLAME SPREAD Tested at 1.2 pcf density
SMOKE DEVELOPED 50

Environmental Characteristics

Corrosiveness Acceptable
Fungi Resistance Acceptable

Physical Characteristics

Density (Settled) 1.4 pcf
Thermal Resistance 3.75 R/in. (at 4 in. thickness)
Moisture Absorption Acceptable
Odor Emission Acceptable

Installer _____
Address _____
State _____

MI MODERN INSULATION INC.
1206 S. Monroe St.
Spencer, Wisconsin 54479