

MATERIAL SAFETY DATA SHEET**QUICK IDENTIFIER (In Plant Common Name)**

Rufco 300 & 400 3W & 4W

Manufacturer's Name RAVEN INDUSTRIES INC.
Address P.O. Box 5107
 Sioux Falls, SD 57117

Emergency Telephone Numbers 800-635-3456
 605-335-0174
Other Information 1813 "E" Avenue
 Sioux Falls, SD 57104

Signature of Person Responsible for Preparation 

Date Prepared April 4, 2007

Section 1 - IDENTITY

Common Name: (Used on Label) Rufco 300
(Trade Name & Synonyms) Rufco 400

CAS Number(s) 9002-88-4

Chemical Name Polyethylene

Chemical Family Polyolefin

Formula (CH₂ - CH₂)_n

Section 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s) - Chemical and Common Name	%	Threshold Limit Value (units)
None		

Section 3 - PHYSICAL & CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

Boiling Point	Not Applicable (N/A)	Specific Gravity	0.93-1.10	Vapor Pressure, mmHg	N/A
----------------------	----------------------	-------------------------	-----------	-----------------------------	-----

Percent Volatile by Volume (%)	n/a	Vapor Density	N/A	Evaporation Rate	N/A
---------------------------------------	-----	----------------------	-----	-------------------------	-----

Solubility in Water	0	Reactivity in Water	N/A
----------------------------	---	----------------------------	-----

Appearance and Odor Translucent, white, odorless plastic film.

Flash Point	N/A	Flammability Limits in Air, by Volume (%)	Lower N/A Upper N/A	Auto Ignition Temperature	635 F
--------------------	-----	--	-----------------------------------	----------------------------------	-------

Extinguisher Media Use water spray, dry chemical, foam or carbon dioxide

Special Fire Fighting Proced. Fire fighters should wear a self-contained breathing apparatus when there is a possibility of exposure to smoke, fumes or hazardous decomposition products. If possible, water should be applied as a spray from a fogging nozzle since this material is a surface burning material.

Unusual Fire and Explosion Hazards None

Section 4 - PHYSICAL HAZARDS

Stability	Unstable	Conditions to Avoid	Temperatures over 570 F will release combustible gases
	Stable		

Incompatibility (Materials to Avoid) Strong oxidizing agents

Hazardous Decomposition Products Combustion will produce CO₂, CO and organic vapors

Hazardous Polymerization	May Occur	Conditions to Avoid	N/A
	Will not Occur		

Section 5 - HEALTH HAZARDS

Threshold	N/A					
Limit Value						
Signs and Symptoms of Exposure						
1. Acute Overexposure	Thermal Burns will result from contact with molten material		2. Chronic Overexposure	Not Determined		
Medical Conditions Generally Aggravated by Exposure	There are no known medical conditions aggravated by exposure to this product.					
Chemical Listed as Carcinogen or Potential Carcinogen	National Toxicology Program	Not Listed	L.A.R.C. Monographs	Not Listed	OSHA	Not Listed
OSHA Permissible Exposure Limit	None	ACGIH Threshold Limit Value	None	Other Expos. Limit Used	None	
Emergency and First Aid Procedures	Most problems will result from exposure to molten materials.					
1. Inhalation	Immediately remove victim from area to fresh air. Seek medical attention.					
2. Eyes	If contacted by molten material, immediately flush eyes with plenty of cool water for at least 15 minutes. Do not permit victim to rub eyes. Immediately seek medical attention.					
3. Skin	If contact by molten material, cool immediately with cool water. Do not attempt to remove any solidified material. Immediately seek medical attention.					
4. Ingestion	If material is ingested, contact a physician or Poison Control Center as appropriate whenever any foreign object is swallowed.					

Section 6 - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type)					
N/A					
Ventilation	Local Exhaust	Mechanical (General)		Special	Other
N/A	N/A	N/A		N/A	N/A
Protective Gloves	Wear protective gloves during thermal processing.		Eye Protection	Wear eye protection during thermal processing.	
Other Protective Clothing or Equipment	Wear protective sleeves when processing material at elevated temperatures to minimize the possibility of thermal burns.				

Section 7 - SPECIAL PRECAUTIONS AND SPILL / LEAK PROCEDURES

Precautions to be Taken in Handling and Storage	This product should be stored in a manner that it is not exposed to heat and sources of ignition. A static charge may be present on finished products				
Other Precautions	None				
Steps to be Taken in Case Material is Released or Spilled					
None					
Waste Disposal Methods					
Dispose in accordance with local, state and federal regulations					

IMPORTANT - Do not leave blank spaces. If information is unavailable, unknown or does not apply, so indicate